














































Motorola Accessories

Enhancing Performance




















Radio Family	image	Part No.	Description	Operation	PTT	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements		Comment
GP Professional GP140 - GP1280		ENMN4013	Flexible ear receiver	Receive only	NA	NA	NA	FM	Ease of use		
GP Professional GP140 - GP1280		MDRMN4021	1 wire earpiece, beige	Receive only	NA	NA	NA	FM	Ease of use		
GP Professional GP140 - GP1280		MDRMN4028	1 wire earpiece, black	Receive only	NA	NA	NA	FM	Ease of use		
GP Professional GP140 - GP1280		MDRMN4022	2 wire earpiece with microphone and PTT combined, beige	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	
GP Professional GP140 - GP1280		MDRMN4029	2 wire earpiece with microphone and PTT combined, black	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	
GP Professional GP140 - GP1280		MDPMLN4418	2 wire earbud with microphone and PTT combined	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
GP Professional GP140 - GP1280		PMLN4605	Voicetube kit for MDPMLN4418	NA	NA	NA	NA	FM	Ease of use		
GP Professional GP140 - GP1280		MDPMLN4607	2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & MDPMLN4418)	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
GP Professional GP140 - GP1280		ENMN4017	3 wire earpiece with microphone and PTT separated, beige	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	
GP Professional GP140 - GP1280		ENMN4014	3 wire earpiece with microphone and PTT separated, black	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	
GP Professional GP140 - GP1280		MDPMLN4557	MagOne earpiece with in-line microphone and PTT	Receive and transmit	In-line	Yes	Yes	No	Ease of use		
GP Professional GP140 - GP1280		MDPMLN4556	MagOne earbud with in-line microphone and PTT	Receive and transmit	In-line	Yes	Yes	No	Ease of use		
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6664	1 wire earpiece 3.5mm plug, beige	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6726	1 wire earpiece 3.5mm plug, black	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6665	1 wire extra-loud earpiece 3.5mm plug, beige	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200

Radio Family	image	Part No.	Description	Operation	PTT	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements		Comment
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6727	1 wire extra-loud earpiece 3.5mm plug, black	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6666	1 wire earpiece with volume control, 3.5mm plug, beige (Non EU only)	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6728	1 wire Earpiece with volume control, 3.5mm plug, black (Non EU only)	Receive only	NA	NA	NA	FM	Ease of use		Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6667	2 wire earpiece with microphone and PTT combined, 3.5mm plug, beige	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6729	2 wire earpiece with microphone and PTT combined, 3.5mm plug black	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6669	2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug, beige	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6731	2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug black	Receive and transmit	PTT on mic	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688		MDPMLN4519	2 wire earbud with microphone and PTT combined	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
GP Compact GP344, GP388, GP644 and GP688		PMLN4605	Voicetube kit for MDPMLN4519	NA	NA	NA	NA	FM	Ease of use		
GP Compact GP344, GP388, GP644 and GP688		MDPMLN4608	2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & MDPMLN4519)	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
GP Compact GP344, GP388, GP644 and GP688, VISAR and JEDI		BDN6668	3 wire earpiece with microphone and PTT separated, 3.5mm plug, beige	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6730	3 wire earpiece with microphone and PTT separated, 3.5mm plug, black	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6670	3 wire extra-loud earpiece with microphone and PTT separated, 3.5mm plug, beige	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200		BDN6732	3 wire extra-loud earpiece with microphone and PTT separated, 3.5mm plug, black	Receive and transmit	Separate wire PTT	Yes	No	FM		Efficiency	Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		BDN6720	1 wire ear hook, black	Receive only	NA	NA	NA	FM	Ease of use		


















Radio Family	image	Part No.	Description	Operation	PTT	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements		Comment
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9727	1 wire earpiece, beige	Receive only	NA	NA	NA	FM	Ease of use		
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		RLN4894	1 wire earpiece, black	Receive only	NA	NA	NA	No	Ease of use		
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9752	1 wire earpiece with volume control, beige (Non EU only)	Receive only	NA	NA	NA	FM	Ease of use		
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		RLN4895	2 wire earpiece with microphone and PTT combined, black	Receive and transmit	PTT on mic	No	No	No		Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9036	2 wire earbud with microphone and PTT combined, black	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		PMLN4294	2 wire earbud with microphone and PTT combined	Receive and transmit	PTT on mic	No	No	No		Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		PMLN4605	Voicetube kit for PMLN4294	NA	NA	No	No	FM			
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4606	2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & PMLN4294)	Receive and transmit	PTT on mic	No	No	FM		Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4442	MagOne earbud with in-line microphone and PTT	Receive and transmit	In-line	Yes	Yes	No			
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4443	MagOne earpiece with in-line microphone and PTT	Receive and transmit	In-line	Yes	Yes	No			
Earpieces for Remote Speaker Microphones		WADN4190	Ear hook 3,5mm plug	Receive only	NA	NA	NA	FM	Ease of use		
Earpieces for Remote Speaker Microphones		MDRLN4885	Earbud 3.5mm plug for RSM	Receive only	NA	NA	NA	FM	Ease of use		
Earpieces for Remote Speaker Microphones		MDRLN4941	Receive only earpiece with translucent tube and 3.5mm plug	Receive only	NA	NA	NA	FM	Ease of use		
Earpieces for Remote Speaker Microphones		MDPMLN4620	D-Shell ear receiver for RSM , 3.5mm plug	Receive only	NA	NA	NA	FM	Ease of use		
Earpieces for Remote Speaker Microphones		MDPMLN4621	D-Shell ear receiver for RSM , 2,5mm plug	Receive only	NA	NA	NA	FM	Ease of use		


















Radio Family	Image	Part No.	Description	PTT	Receive via	Transmit via	Headband	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements				Comments
GP Professional GP140 - GP1280		ENMN4012	Ultra light weight headset with in-line PTT (breeze)	In-line	Single ear	Boom mic	Behind	Yes	No	FM	Ease of use				
GP Professional GP140 - GP1280		MDPMLN4653	D Shell ultra light weight headset with PTT and VOX	In-line	Single ear	Boom mic	None	Yes	Yes	No	Ease of use				
GP Professional GP140 - GP1280		MDRMN4017	Light weight headset (Non EU only)	No	Single ear	Boom mic	None	Yes	No	FM	Ease of use				
GP Professional GP140 - GP1280		ENMN4015	Light weight headset	No	Both ears	Boom mic	Over	Yes	No	FM	Ease of use				Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Professional GP140 - GP1280		MDRMN4018	Light weight headset with PTT	In-line	Single ear	Boom mic	Over	Yes	No	FM	Ease of use				
GP Professional GP140 - GP1280		MDRMN4031	Light weight headset	No	Single ear	Boom mic	Over	Yes	No	FM	Ease of use				Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Professional GP140 - GP1280		MDPMLN4558	MagOne Light weight headset with PTT	In-line	Single ear	Boom mic	Over	Yes	Yes	FM	Ease of use				
GP Professional GP140 - GP1280		ENMN4016	Medium weight headset with PTT	In-line	Both ears	Boom mic	Behind	Yes	No	FM			Robustness	Safety	
GP Professional GP140 - GP1280		MDRMN4019	Medium weight headset with PTT	In-line	Both ears	Boom mic	Over	Yes	No	FM			Robustness	Safety	
GP Professional GP140 - GP1280		MDRMN4032	Medium weight headset	No	Both ears	Boom mic	Over	No	No	FM			Robustness	Safety	Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Professional GP140 - GP1280		MDRMN4020	Heavy duty headset with ear cup PTT (Non EU only)	Ear cup	Both ears	Boom mic	Over	Yes	Yes	FM			Robustness	Safety	Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Professional GP140 - GP1280		GMLN1114	Medium headset with PTT and ambient sound reception	In-line	Both ears	Boom mic	Over	Yes	No	ATEX			Robustness	Safety	
GP Compact GP344, GP388, GP644 and GP688		MDPMLN4657	D Shell ultra light weight headset with PTT and VOX	In-line	Single ear	Boom mic	None	Yes	Yes	No	Ease of use				
GP Compact GP344, GP388, GP644 and GP688		MDJMMN4066	Light weight headset with boom microphone and in-line PTT	In-line	Single ear	Boom mic	Over	Yes	No	FM	Ease of use				
GP Compact GP344, GP388, GP644 and GP688 - GP900 and GP1200		BDN6645	Heavy duty headset with ear cup PTT (Non EU only)	Ear cup	Both ears	Boom mic	Over	Yes	No	FM			Robustness	Safety	(Requires adapter cable RKN4093 for use with GP Compact GP344, GP388, GP644 and GP688). (Requires adapter cable BDN6673 for use with GP900-GP1200)
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4658	D Shell ultra light weight headset with PTT and VOX	In-line	Single ear	Boom mic	None	Yes	Yes	No	Ease of use				
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		RLN5411	Ultra light weight headset with in-line PTT (breeze)	In-line	Single ear	Boom mic	Behind	Yes	No	No	Ease of use				


Radio Family	Image	Part No.	Description	PTT	Receive via	Transmit via	Headband	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements				Comments
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4444	MagOne ultra light weight headset with in-line PTT and VOX	In-line	Single ear	Boom mic	None	Yes	Yes	No	Ease of use				
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMLN4445	MagOne light weight headset with in-line PTT and VOX	In-line	Single ear	Boom mic	Over	Yes	Yes	No	Ease of use				
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9013	Light weight headset	No	Single ear	Boom mic	Over	Yes	No	FM	Ease of use				
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9787	Light weight headset (Non EU only)	No	Single ear	Boom mic	Over	Yes	No	FM	Ease of use				
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9021	Medium weight dual muff headset	No	Both ears	Boom mic	Over	Yes	No	No			Robustness	Safety	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		HMN9022	Medium weight dual muff headset	No	Both ears	Boom mic	Behind	Yes	No	No			Robustness	Safety	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		RMN4051	Medium weight hard hat mount, black (Non EU only)	No	Both ears	Boom mic	Over	Yes	No	No			Robustness	Safety	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		BDN6648	Heavy duty dual muff headset with noise canceling microphone (Non EU only)	No	Both ears	Boom mic	Over	Yes	No	FM			Robustness	Safety	
GP900 and GP1200, and Minnow and Visar		NMN6246	Ultra light weight headset	In-line	Single ear	Boom mic	None	Yes	No	FM	Ease of use				

Radio Family	Image	Part No.	Description	Audio Jack	Emergency Button	Volume Control	Noise Cancelling	Intrinsic Safety Standard	End User Requirements				Comment
GP Professional GP140 - GP1280		MDPMMN4027	Remote Speaker Microphone with IP57 Rating with enhanced noise reduction	No	No	No	No	FM				Efficiency	
GP Professional GP140 - GP1280		MDPMMN4021	Remote Speaker Microphone with Ear Jack with enhanced noise reduction	3.5mm	No	No	No	FM				Efficiency	
GP Professional GP140 - GP1280		GMMN1111	Rugged remote speaker microphone with volume control and emergency button	No	Yes	Yes	No	ATEX		Efficiency	Robustness	Safety	For ATEX models GP340 Ex, GP380 Ex, GP580 Ex and GP680 Ex
GP Professional GP140 - GP1280		MDPMMN4009	MagOne Remote speaker microphone with omnidirectional mic	No	No	No	No	No	Ease of use				
GP Professional GP140 - GP1280		MDRMN5037	Rugged remote speaker microphone with volume control (Non EU only)	No	No	Yes	No	FM		Efficiency	Robustness		Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Professional GP140 - GP1280		MDRMN5055	Rugged remote speaker microphone with volume control (Non EU only)	3.5mm	No	Yes	No	FM		Efficiency	Robustness		Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280
GP Compact GP344, GP388, GP644 and GP688		MDPMMN4023	Remote Speaker Microphone with IP57 Rating with enhanced noise reduction	No	No	No	No	FM				Efficiency	
GP Compact GP344, GP388, GP644 and GP688		MDPMMN4022	Remote Speaker Microphone with Ear Jack with enhanced noise reduction	3.5mm	No	No	No	FM				Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMMN4029	Remote Speaker Microphone with IP57 Rating with enhanced noise reduction	No	No	No	No	FM				Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMMN4013	Remote Speaker Microphone with Ear Jack with enhanced noise reduction	3.5mm	No	No	No	FM				Efficiency	
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		MDPMMN4008	MagOne Remote speaker microphone with omnidirectional mic	No	No	No	No	No	Ease of use				
GP900 and GP1200		NMN6191	Remote speaker microphone with noise cancelling	3.5mm	No	No	Yes	FM		Efficiency			
GP900 and GP1200		NMN6193	Remote speaker microphone with omnidirectional mic	3.5mm	No	No	No	FM		Efficiency			
GP900 and GP1200		NMN6242	Remote speaker microphone with emergency button and omnidirectional mic	3.5mm	Yes	Yes	No	No		Efficiency			

Radio Family	Image	Part No.	Description	Audio Jack	Emergency Button	Volume Control	Noise Cancelling	Intrinsic Safety Standard	End User Requirements				Comment
GP900 and GP1200		RMN5038	Rugged remote speaker microphone with volume control and emergency button	3.5mm	Yes	Yes	Yes	No		Efficiency			
GP900 and GP1200		EMN6225	Remote speaker microphone with noise cancelling. Cenelec approved	3.5mm	No	No	Yes	Cenelec		Efficiency		Safety	
GP900 and GP1200		EMN6226	Remote speaker microphone with omnidirectional mic. Cenelec approved	3.5mm	No	No	No	Cenelec		Efficiency		Safety	
GP900 and GP1200		EMN6230	Remote speaker microphone with noise cancelling. ATEX approved	3.5mm	No	No	Yes	ATEX		Efficiency		Safety	
GP900 and GP1200		EMN6231	Remote speaker microphone with omnidirectional mic. ATEX approved	3.5mm	No	No	No	ATEX		Efficiency		Safety	
Visar		NMN6196	Remote speaker microphone with omnidirectional mic	No	No	No	No	FM		Efficiency			

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (g)	Chemistry	Operational Time (hours)	Capacity (mAh)	Intelligent	Number of Charge Cycles	Energy Density (mAh/cm³)	Operating Temperature Range	Memory Effect	Requires Maintenance	Intrinsic Safety Standard
GP Professional GP140- GP1280		HNN9008	Battery NiMH 1400mAh high capacity	120 x 52 x 12	204	NiMH	10	1400mAh	No	400	18.7	(-20 - +60 deg C)	Yes	Yes	No
GP Professional GP140- GP1280		HNN9009	Battery NiMH 1900mAh ultra high capacity	120 x 52 x 22	215	NiMH	14	1900mAh	No	400	13.8	(-20 - +60 deg C)	Yes	Yes	No
GP Professional GP140- GP1280		HNN9010	Battery NiMH 1800mAh ultra high capacity FM	120 x 52 x 22	269	NiMH	14	1800mAh	No	400	13.1	(-20 - +60 deg C)	Yes	Yes	FM
GP Professional GP140- GP1280		HNN9011	Battery NiCd 1550mAh high capacity FM	120 x 52 x 20	226	NiCd	11	1550mAh	No	650	9.6	(-30 - +60 deg C)	Yes	Yes	FM
GP Professional GP140- GP1280		HNN9012	Battery NiCd 1550mAh high capacity	120 x 52 x 22	228	NiCd	11	1550mAh	No	650	10.2	(-30 - +60 deg C)	Yes	Yes	No
GP Professional GP140- GP1280		NNTN5510	Battery Li-ION 1650mAh ultra high capacity ATEX	120 x 52 x 22	228	Li-ION	12	1650mAh	No	400	11.9	(-10 - +60 deg C)	No	No	ATEX
GP Professional GP140- GP1280		HNN9013	Battery Li-ION 1600mAh ultra high capacity	120 x 52 x12	125	Li-ION	14	1600mAh	No	400	24.0	(-10 - +60 deg C)	No	No	No
GP Professional GP140- GP1280		HNN4001	Impres battery NiMH 1900mAh ultra high capacity	120 x 52 x 20	280	NiMH	14	1900mAh	Yes	400	15.2	(-20 - +60 deg C)	Yes	Yes	No
GP Professional GP140- GP1280		HNN4002	Impres battery NiMH 1800mAh ultra high capacity FM	120 x 52 x 20	280	NiMH	14	1800mAh	Yes	400	14.4	(-20 - +60 deg C)	Yes	Yes	FM
GP Professional GP140- GP1280		HNN4003	Impres battery Li-ION 2000mAh ultra high capacity	120 x 52 x 20	150	Li-ION	16	2000mAh	Yes	400	16.0	(-10 - +60 deg C)	No	No	No
GP Compact GP344, GP388, GP644 and GP688		JMNN4025	Battery NiMH 700mAh medium capacity FM	90 x 55 x 22	165	NiMH	5	700mAh	No	400	6.4	(-20 - +60 deg C)	Yes	Yes	FM
GP Compact GP344, GP388, GP644 and GP688		JMNN4023	Battery Li-ION 1000mAh high capacity	90 x 55 x 15	105	Li-ION	7	1000mAh	No	400	13.5	(-10 - +60 deg C)	No	No	No
GP Compact GP344, GP388, GP644 and GP688		JMNN4024	Battery Li-ION 1300mAh ultra high capacity	90 x 55 x 20	125	Li-ION	9	1300mAh	No	400	13.1	(-10 - +60 deg C)	No	No	No
Commercial CP040, CP140, CP160 and CP180		NNTN4851	Battery NiMH 1400mAh	120 x 60 x 22	210	NiMH	10	1400mAh	No	400	8.8	(-20 - +60 deg C)	Yes	Yes	No
Commercial CP040, CP140, CP160 and CP180		NNTN4852	Battery NiMH 1300mAh FM	120 x 60 x 22	220	NiMH	9	1300mAh	No	400	8.2	(-20 - +60 deg C)	Yes	Yes	FM
Commercial CP040, CP140, CP160 and CP180		NNTN4496	Battery NiCd 1100mAh	120 x 60 x 15	160	NiCd	8	1100mAh	No	650	10.2	(-30 - +60 deg C)	Yes	Yes	No
Commercial CP040, CP140, CP160 and CP180		NNTN4497	Battery Li-ION 2250mAh high capacity	120 x 60 x 22	204	Li-ION	18	2250mAh	No	400	11.4	(-10 - +60 deg C)	No	No	No

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (g)	Chemistry	Operational Time (hours)	Capacity (mAh)	Intelligent	Number of Charge Cycles	Energy Density (mAh/cm³)	Operating Temperature Range	Memory Effect	Requires Maintenance	Intrinsic Safety Standard
Commercial CP040, CP140, CP160 and CP180		NNTN4970	Battery Li-ION 1600mAhh medium capacity	120 x 60 x 16	134	Li-ION	12	1600mAh	No	400	13.9	(-10 - +60 deg C)	No	No	No
P040 and P080		PMNN4018	Battery NiMH 1200mAh high capacity	120 x 52 x 16	198	NiMH	8	1200mAh	No	400	12.0	(-20 - +60 deg C)	Yes	Yes	No
P040 and P080		PMNN4019	Battery NiMH 1150mAh high capacity FM	120 x 52 x 16	198	NiMH	8	1150mAh	No	400	11.5	(-20 - +60 deg C)	Yes	Yes	FM
P040 and P080		PMNN4021	Battery NiCd 1100mAh high capacity	120 x 52 x 16	215	NiCd	10	1100mAh	No	400	11.0	(-30 - +60 deg C)	Yes	Yes	No
P020 and P030		PMNN4063	Battery NiMH 1300mAh high capacity (Non EU only)	114 x 52 x 16	212	NiMH	8	1300mAh	No	400	12.7	(-20 - +60 deg C)	Yes	Yes	No
GP900 and GP1200		WPNN4013	Battery NiMH 2000mAh ultra high capacity	150 x 57 x 22	255	NiMH	14	2000mAh	No	380	10.6	(-20 - +60 deg C)	Yes	Yes	No
GP900 and GP1200		WPNN4037	Battery NiMH 1900mAh ultra high capacity FM	150 x 57 x 22	255	NiMH	14	1900mAh	No	380	10.1	(-20 - +60 deg C)	Yes	Yes	FM
GP900 and GP1200		NTN7143	Battery NiCd 1300mAh high capacity	150 x 57 x 18	236	NiCd	8	1300mAh	No	650	8.4	(-30 - +60 deg C)	Yes	Yes	No
GP900 and GP1200		NTN7144	Battery NiCd 1500mAh high capacity	150 x 57 x 20	285	NiCd	9	1500mAh	No	650	8.8	(-30 -+60 deg C)	Yes	Yes	No
GP900 and GP1200		NTN7372	Battery NiCd 1200mAh high capacity FM	150 x 57 x 18	274	NiCd	8	1200mAh	No	650	8.4	(-30 - +60 deg C)	Yes	Yes	FM
GP900 and GP1200		NTN7341	Battery NiCd 1350mAh high capacity FM	150 x 57 x 20	283	NiCd	8	1350mAh	No	650	8.8	(-30 - +60 deg C)	Yes	Yes	FM
GP900 and GP1200		NTN7147	Battery NiCd 1300mAh high capacity FM	150 x 57 x 20	285	NiCd	9	1300mAh	No	650	8.8	(-30 - +60 deg C)	Yes	Yes	FM
GP900 and GP1200		NTN7148	Battery NiCd 1000mAh high capacity Cenelec	150 x 57 x 18	235	NiCd	8	1000mAh	No	650	6.5	(-30 - +60 deg C)	Yes	Yes	Cenelec
GP900 and GP1200		RNN4008	Battery NiCd 1000mAh high capacity ATEX	150 x 57 x 18	235	NiCd	8	1000mAh	No	650	6.5	(-30 - +60 deg C)	Yes	Yes	ATEX
GP900 and GP1200		HNN9028	Impres battery NiCd 1500mAh high capacity (not CE compliant)	150 x 57 x 18	275	NiCd	9	1500mAh	Yes	650	9.7	(-30 - +60 deg C)	Yes	Yes	No
GP900 and GP1200		HNN9029	Impres battery NiCd 1400mAh high capacity FM (not CE compliant)	150 x 57 x 18	275	NiCd	8	1400mAh	Yes	650	9.1	(-30 -+60 deg C)	No	No	FM
Visar		NTN7396	Battery NiMH 600mAh medium capacity	102 x 55 x 10	138	NiMH	4	600mAh	No	380	10.7	(-20 - +60 deg C)	Yes	Yes	No

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (g)	Chemistry	Operational Time (hours)	Capacity (mAh)	Intelligent	Number of Charge Cycles	Energy Density (mAh/cm³)	Operating Temperature Range	Memory Effect	Requires Maintenance	Intrinsic Safety Standard
Visar		NTN7394	Battery NiMH 1500mAh ultra high capacity	102 x 55 x 20	224	NiMH	8	1500mAh	No	380	13.4	(-20 - +60 deg C)	Yes	Yes	No
Visar		NTN7395	Battery NiCd 1200mAh ultra high capacity	102 x 55 x 20	228	NiCd	8	1200mAh	No	650	10.7	(-30 - +60 deg C)	Yes	Yes	No
GP300 and P110		HNN8148	Battery NiCd 1100mAh high capacity P110	140 x 57 x 16	254	NiCd	8	1100mAh	No	650	8.6	(-30 - +60 deg C)	Yes	Yes	No
GP300 and P110		HNN9701	Battery NiCd 1100mAh high capacity FM	140 x 57 x 22	223	NiCd	8	1100mAh	No	650	6.3	(-30 - +60 deg C)	Yes	Yes	FM
GP300 and P110		HNN9628	Battery NiCd 1200mAh high capacity	140 x 57 x 17	210	NiCd	8	1200mAh	No	650	8.8	(-30 - +60 deg C)	Yes	Yes	No

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3004	Multi unit charger with six stations, 230V Euro	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	230 V	Euro	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3005	Multi unit charger with six stations, 230V UK	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	230 V	UK	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3003	Multi unit charger with six stations, 120V US (not CE compliant)	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	120 V	US	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4189	Impres multi unit charger, 230V Euro	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4188	Impres multi unit charger , 230V UK	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4205	Impres multi unit charger, 120V US (not CE compliant)	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	120V	US	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4194	Impres display multi unit charger, 230V Euro	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4193	Impres display multi unit charger, 230V UK	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4204	Impres display multi unit charger, 120V US (not CE compliant)	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	120V	US	Yes	Impres
Commercial CP040, CP140, CP160 and CP180		WPLN4162	Multi unit charger with six stations, 230V Euro	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	230 V	Euro	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4163	Multi unit charger with six stations, 230V UK	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	230 V	UK	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4161	Multi unit charger with six stations, 120V US (not CE compliant)	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	120 V	US	No	Rapid
P040 and P080		RLN5220	Multi unit charger with six stations, 230V Euro	25 x 400 x 300	2.4	NiCd/NiMH	6	No	230 V	Euro	No	Rapid
P040 and P080		RLN5219	Multi unit charger with six stations, 230V UK	25 x 400 x 300	2.4	NiCd/NiMH	6	No	230 V	UK	No	Rapid
P040 and P080		RLN5218	Multi unit charger with six stations, 120V US (not CE compliant)	25 x 400 x 300	2.4	NiCd/NiMH	6	No	120 V	US	No	Rapid

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
GP900 and GP1200		WPLN4109	Impres multi unit charger universal, 230V Euro	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Option	Impres
GP900 and GP1200		WPLN4110	Impres multi unit charger universal, 230V UK	152x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Option	Impres
GP900 and GP1200		WPLN4120	Impres multi unit charger universal, 120V US (not CE compliant)	152x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	120V	US	Option	Impres
GP900 and GP1200		WPLN4131	Impres display multi unit charger universal, 230V Euro	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	230 V	Euro	Yes	Impres
GP900 and GP1200		WPLN4132	Impres display multi unit charger universal, 230V UK	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	230 V	UK	Yes	Impres
GP900 and GP1200		WPLN4135	Impres display multi unit charger universal, 120V US (not CE compliant)	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	120 V	US	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3001	Rapid single unit charger, 230V Euro	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3002	Rapid single unit charger, 230V UK	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3000	Rapid single unit charger, 120V US (not CE compliant)	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	120 V	US	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4184	Impres single unit charger, 230V Euro	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	230 V	Euro	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4183	Impres single unit charger, 230V UK	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	230 V	UK	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4206	Impres single unit charger, 120V US (not CE compliant)	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	120 V	US	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDRLN4883	Travel charger with VPA adapter and coiled cable	55 x 35 x 60	0.16	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1006	VHF Vehicle adapter (136 MHz - 174 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1007	UHF Vehicle adapter (403 MHz - 470 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1008	UHF Vehicle adapter (450 MHz - 527 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1009	Vehicle adapter (300 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4139	Rapid single unit charger, 230V Euro	50 x 100 x110	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4140	Rapid single unit charger, 230V UK	50 x 100 x110	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4138	Rapid single unit charger, 120V US (Not CE compliant)	50 x 100 x110	0.4	Li-ION/NiCd/NiMH	1	No	120 V	US	No	Rapid
P040 and P080		MDPMTN4036	Rapid single unit charger, 230V Euro	50 x 100 x 110	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
P040 and P080		MDPMTN4037	Rapid single unit charger, 230V UK	50 x 100 x 110	0.4	NiCd/NiHM	1	No	230 V	UK	No	Rapid
P040 and P080		MDPMTN4038	Rapid single unit charger, 120V US (Not CE compliant)	50 x 100 x 110	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid
P020 and P030		MDPMTN4088	Rapid single unit charger, 230V Euro (Not CE compliant)	55 x 100 x 110	0.35	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
P020 and P030		MDPMTN4089	Rapid single unit charger, 230V UK (Not CE compliant)	55 x 100 x 110	0.35	NiCd/NiMH	1	No	230 V	UK	No	Rapid
P020 and P030		MDPMTN4087	Rapid single unit charger, 120V US (not CE compliant)	55 x 100 x 110	0.35	NiCd/NiMH	1	No	120 V	US	No	Rapid
GP900 and 1200		RPX4748	Rapid single unit charger, 230V Euro	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
GP900 and 1200		RPX4747	Rapid single unit charger, 120V US (not CE compliant)	100 x 110 x 100	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid
GP900 and 1200		NTN1668	Rapid single unit charger, 230V Euro	65 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid
GP900 and 1200		NTN1669	Rapid single unit charger, 230V UK	65 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
GP900 and 1200		WPLN4112	Universal impres single unit charger, 230V Euro	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	230V	Euro	No	Impres

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
GP900 and 1200		WPLN4113	Universal impres single unit charger, 230V UK	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	230 V	UK	No	Impres
GP900 and 1200		WPLN4117	Universal impres single unit charger, 120V US (not CE compliant)	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	120 V	US	No	Impres
Visar		NTN1403	Rapid dual unit charger, 230V Euro	65 x 100 x 110	0.4	NiCd/NiMH	2	No	230V	Euro	No	Rapid
Visar		NTN1404	Rapid dual unit charger, 230V UK	65 x 100 x 110	0.4	NiCd/NiMH	2	No	230V	UK	No	Rapid
Visar		NTN1402	Rapid dual unit charger, 120V US (not CE compliant)	65 x 100 x 110	0.4	NiCd/NiMH	2	No	120V	US	No	Rapid
GP300 and P110		MDHTN9043	Rapid single unit charger, 230V Euro	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
GP300 and P110		MDHTN9044	Rapid single unit charger, 230V UK	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	UK	No	Rapid
GP300 and P110		MDHTN9042	Rapid single unit charger, 120V US (not CE compliant)	100 x 110 x 100	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid






Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
GP Professional GP140-GP1280		HLN9701	Nylon carry case for non keypad models	Nylon	Belt loop	No	Yes	
GP Professional GP140-GP1280		HLN9652	Leather carry case with belt loop for non keypad models (for radios with slim Lithium Ion battery)	Hard leather	Belt loop	No	Yes	
GP Professional GP140-GP1280		HLN9665	Leather carry case with belt loop for non keypad models (for radios with NiMh, NiCd and FM battery)	Hard leather	Belt loop	No	No	
GP Professional GP140-GP1280		HLN9677	Leather carry case with belt loop for keypad models (for radios with slim Lithium Ion battery)	Hard leather	Belt loop	No	Yes	
GP Professional GP140-GP1280		HLN9689	Leather carry case with belt loop for keypad models (for radios with NiMh, NiCd and FM battery)	Hard leather	Belt loop	No	No	
GP Professional GP140-GP1280		HLN9695	Leather carry case with belt loop (GP1280)	Hard leather	Belt loop	No	No	
GP Professional GP140-GP1280		HLN9698	Leather carry case with belt loop (GP1280)	Hard leather	Belt loop	No	No	
GP Professional GP140-GP1280		HLN9670	Leather carry case with swivel belt loop for non keypad models (for radios with slim Lithium Ion battery)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9676	Leather carry case with swivel belt loop for non keypad models (for radios with NiMh and NiCd battery)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9690	Leather carry case with swivel belt loop for keypad models (for radios with slim Lithium Ion battery)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9694	Leather carry case with swivel belt loop for keypad models (for radios with NiMh and NiCd battery)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9699	Leather carry case with swivel belt loop (GP1280) (for radios with slim Lithium Ion battery)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9700	Leather carry case with swivel belt loop (GP1280)	Hard leather	Belt loop	Yes	Yes	
GP Professional GP140-GP1280		HLN9714	Spring belt clip	Plastic	Clip	No	Yes	
GP Professional GP140-GP1280		HLN9952	Plastic holster	Plastic	Clip	No	Yes	















Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
GP Professional GP140-GP1280		GLN6591	Shoulder strap	Nylon	NA	NA	NA	
GP Professional GP140-GP1280		GMLN1112	Soft leather case for GP380 EX, GP580 EX and GP680 EX (for keypad models)	Soft leather	Belt loop	No	Yes	For use with ATEX models
GP Professional GP140-GP1280		GMLN1113	Soft leather case for GP340 EX	Soft leather	Belt loop	No	Yes	For use with ATEX models
GP Professional GP140-GP1280		GMLN1110	Heavy duty leather case for GP380 EX, GP580 EX and GP680 EX (for keypad models)	Hard leather	Belt loop	Yes	Yes	For use with ATEX models
GP Professional GP140-GP1280		GMLN1111	Heavy duty leather case for GP340 EX	Hard leather	Belt loop	Yes	Yes	For use with ATEX models
GP Compact GP344, GP388, GP644 and GP688		PMLN4470	Nylon carry case	Nylon	Belt loop	No	Yes	
GP Compact GP344, GP388, GP644 and GP688		PMLN4421	Soft leather carry case with swivel belt loop (GP344 and GP644)	Soft leather	Belt loop	Yes	Yes	
GP Compact GP344, GP388, GP644 and GP688		PMLN4521	Soft leather carry case with swivel belt loop (GP388 and GP688)	Soft leather	Belt loop	Yes	Yes	
GP Compact GP344, GP388, GP644 and GP688		PMLN4471	Hard leather case with swivel belt loop	Hard leather	Belt loop	Yes	Yes	
GP Compact GP344, GP388, GP644 and GP688		HLN9714	Spring belt clip	Plastic	Clip	No	Yes	
GP Compact GP344, GP388, GP644 and GP688		JMZN4023	Plastic holster	Plastic	Clip	No	Yes	
GP Compact GP344, GP388, GP644 and GP688		JMZN4020	Wrist strap	Nylon	NA	NA	Yes	
Commercial CP040, CP140, CP160 and CP180		HLN9701	Nylon carry case (for radios with slim Lithium Ion battery)	Nylon	Belt loop	No	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5383	Leather carry case with belt loop (CP140)	Hard leather	Belt loop	No	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5384	Leather carry case with 6.4 cm swivel belt loop (CP140)	Hard leather	Belt loop	Yes	Yes	

Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
Commercial CP040, CP140, CP160 and CP180		RLN5385	Leather carry case with 7.6 cm swivel belt loop (CP140)	Hard leather	Belt loop	Yes	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5640	Leather carry case with belt loop (CP160)	Hard leather	Belt loop	No	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5641	Leather carry case with 6.4 cm swivel belt loop (CP160)	Hard leather	Belt loop	Yes	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5642	Leather carry case with 7.6 cm swivel belt loop (CP160)	Hard leather	Belt loop	Yes	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5496	Leather carry case with belt loop (CP180)	Hard leather	Belt loop	No	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5497	Leather carry case with 6.4 cm swivel belt loop (CP180)	Hard leather	Belt loop	Yes	Yes	
Commercial CP040, CP140, CP160 and CP180		RLN5498	Leather carry case with 7.6 cm swivel belt loop (CP180)	Hard leather	Belt loop	Yes	Yes	
Commercial CP040, CP140, CP160 and CP180		HLN8255	Spring belt clip	Plastic	Clip	No	Yes	
Commercial CP040, CP140, CP160 and CP180		NTN5243	Shoulder strap	Nylon	NA	NA	Yes	
P040 and P080		RLN4868	Nylon carry case	Nylon	Belt loop	No	Yes	
P040 and P080		RLN4865	Leather carry case with belt loop (for non keypad models)	Hard leather	Belt loop	No	Yes	
P040 and P080		RLN4874	Leather carry case with belt loop (for keypad models)	Hard leather	Belt loop	No	Yes	
P040 and P080		RLN4866	Leather carry case with swivel belt loop (for non keypad models)	Hard leather	Belt loop	Yes	Yes	
P040 and P080		RLN4873	Leather carry case with swivel belt loop (for keypad models)	Hard leather	Belt loop	Yes	Yes	
P040 and P080		HLN9844	Spring belt clip	Plastic	Clip	No	Yes	

Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
P020 and P030		PMLN4467	Soft leather carry case	Soft leather	Belt loop	No	Yes	
P020 and P030		HLN9844	Spring belt clip	Plastic	Clip	No	Yes	
P020 and P030		PMLN4468	Plastic holster	Plastic	Clip	No	Yes	
P020 and P030		4285820Z01	Shoulder strap	Nylon	NA	NA	Yes	
GP900 and GP1200		NTN7247	Nylon carry case (for radios with high and ultra high capacity battery)	Nylon	Belt loop	No	Yes	
GP900 and GP1200		NTN7238	Leather carry case with snap belt loop and press-button and T-strap for radios with high capacity battery (1300 mAh)	Hard leather	Belt loop	No	Yes	
GP900 and GP1200		NTN7239	Leather carry case with belt loop (for GP900).	Hard leather	Belt loop	No	Yes	Cenelec and ATEX approved
GP900 and GP1200		NTN7241	Leather carry case with 6.4 cm swivel belt loop and T-Strap for radios with high capacity batteries (1300 mAh)	Hard leather	Belt loop	Yes	Yes	
GP900 and GP1200		NTN7242	Leather carry case with 6.4 cm swivel belt loop and T-Strap for GP900 radios with high capacity batteries (1300 mAh)	Hard leather	Belt loop	Yes	Yes	Cenelec and ATEX approved
GP900 and GP1200		NTN7244	Leather carry case with 7.6 cm swivel belt loop for radios with high capacity batteries (1300 mAh)	Hard leather	Belt loop	Yes	Yes	
GP900 and GP1200		NTN7245	Leather carry case with 7.6 cm swivel belt loop for GP900 radios with ultra high capacity batteries (1500 mAh)	Hard leather	Belt loop	Yes	Yes	Cenelec and ATEX approved
GP900 and GP1200		NDN4017	Leather carry case with 8.2 cm swivel belt loop and T-Strap (for keypad models)	Hard leather	Belt loop	Yes	Yes	Cenelec and ATEX approved
GP900 and GP1200		NTN7318	Spring belt clip	Aluminium	Clip	No	Yes	
GP900 and GP1200		GLN6591	Shoulder strap	Nylon	NA	NA	NA	Cenelec and ATEX approved
GP900 and GP1200		TDN9675	Wrist strap	Nylon	NA	NA	Yes	

Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
Visar		TDN9658	Nylon carry case with belt loop for radios with high and ultra high capacity battery	Nylon	Belt loop	No	Yes	
Visar		TDN9657	Nylon carry case with belt loop for radios with medium capacity battery	Nylon	Belt loop	No	Yes	
Visar		NTN7633	Plastic holster	Plastic	Clip	No	Yes	
Visar		NTN7632	Plastic holster	Plastic	Clip	No	Yes	
GP300 and P110		HLN9750	Nylon carry case	Nylon	Belt loop	No	Yes	
GP300 and P110		HLN9017	Large nylon carry case	Nylon	Belt loop	No	Yes	
GP300 and P110		HLN9008	Large nylon carry case	Nylon	Belt loop	No	Yes	
GP300 and P110		HLN9720	Leather carry case with belt loop	Hard leather	Belt loop	No	Yes	
GP300 and P110		HLN9721	Leather carry case with small belt loop	Soft leather	Belt loop	No	Yes	
GP300 and P110		HLN9970	Leather carry case with belt loop (for keypad models)	Hard leather	Belt loop	No	Yes	
GP300 and P110		HLN9978	Leather carry case with belt loop (for keypad models)	Hard leather	Belt loop	No	Yes	
GP300 and P110		HLN8411	Leather carry case with swivel belt loop (for keypad models)	Hard leather	Belt loop	Yes	Yes	
GP300 and P110		HLN8412	Leather carry case with swivel belt loop (for keypad models)	Hard leather	Belt loop	Yes	Yes	
GP300 and P110		HLN9009	Large leather carry case with swivel belt loop	Hard leather	Belt loop	Yes	Yes	
GP300 and P110		HLN9011	Large leather carry case with swivel (for keypad models)	Hard leather	Belt loop	Yes	Yes	

Radio Family	Image	Part No.	Description	Material	Belt Attachment	Belt Swivel	Quick release of the radio	Comment
GP300 and P110		HLN9873	Large leather carry case with swivel belt loop	Hard leather	Belt loop	Yes	Yes	
GP300 and P110		HLN8255	Spring belt clip	Plastic	Clip	No	Yes	
GP300 and P110		HLN9076	Plastic holster	Plastic	Clip	No	Yes	
GP300 and P110		TDN9675	Wrist strap	Nylon	NA	NA	Yes	
Universal		HLN6602	Universal chest pack	Nylon	NA	NA	No	
Universal		RLN4570	Break away chest pack	Nylon	NA	NA	No	
Universal		RLN4815	Universal chest pack	Nylon	Belt loop	No	Yes	
Universal		HLN8414	Universal chest pack	Nylon	NA	NA	Yes	
Universal		HLN9985	Waterproof bag	Plastic	NA	No	No	

Radio Family	Image	Part Number	Description	PTT	Receive via	Transmit via	Headband	Vox capability	Extra Vox-Switch on PTT	Intrinsic Safety Standard	End User Requirements		Comments
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		BDN6646	Bone inductive ear microphone with PTT interface (includes BDN6677)	Yes	Single ear	Ear mic	None	No	No	FM	Efficiency		
CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110		BDN6706	Bone inductive ear microphone with VOX/PTT interface (includes BDN6677)	Yes	Single ear	Ear mic	None	Yes	Yes	No	Efficiency		
GP Professional GP140 - GP1280.GP900-GP1200		BDN6641	Bone inductive ear microphone, grey	No	Single ear	Ear mic	None	VOX via voiceducer	No	FM	Efficiency		Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 to use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200
GP Professional GP140 - GP1280.GP900-GP1200		BDN6677	Bone inductive ear microphone, black	No	Single ear	Ear mic	None	VOX via voiceducer	No	FM	Efficiency		Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 to use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200
GP Professional GP140 - GP1280.GP900-GP1200		BDN6678	Bone inductive ear microphone, beige	No	Single ear	Ear mic	None	VOX via voiceducer	No	FM	Efficiency		Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 to use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200
GP Professional GP140 - GP1280		ENMN4010	Noise com direct connection	In-line	Single ear	Boom mic	None	Yes	No	FM	Efficiency		
GP Professional GP140 - GP1280		ENMN4016	Helmet com direct connection	Yes	Single ear	one Inductic	Over	Yes	No	FM	Efficiency		
GP Professional GP140 - GP1280, GP900 and GP1200		WALN4062	Helmet com (requires PTT module)	No	Single ear	one Inductic	Over	Yes	No	Cenelec and Standard	Efficiency		
GP Professional GP140 - GP1280, GP900 and GP1200		WALN4064	Noise com (requires PTT module)	No	Single ear	Boom mic	None	Yes	No	Cenelec and Standard	Efficiency		
GP Professional GP140 - GP1280		ENLN4135	PTT module	Yes	NA	NA	NA	NA	NA	FM	Efficiency		
Visar, GP Compact GP344, GP388, GP644 and GP688		BDN6768	Bone inductive ear microphone, black	No	Single ear	Ear mic	None	VOX via voiceducer	No	No	Efficiency		Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact
Visar, GP Compact GP344, GP388, GP644 and GP688		BDN6769	Bone inductive ear microphone, beige	No	Single ear	Ear mic	None	VOX via voiceducer	No	No	Efficiency		Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact
GP900 and GP1200		WALN4069	PTT module	Yes	NA	NA	NA	NA	NA	Cenelec and ATEX	Efficiency	Safety	
GP900 and GP1200		WALN4091	Noise com direct connection	In-line	Single Ear	Discreet mic	NA	No	No	No	Efficiency		